

E-mail rejection and block prevention

compiled by Michael Foster, STC Network Systems

1. Check IP address for blocking by remote black lists (RBLs):

http://mxtoolbox.com/SuperTool.aspx?action=blacklist%3a174.122.141.173

http://www.senderbase.org/senderbase_queries/detailip?search_string=174.122.141.173

- 2. Common abbreviations used in e-mail systems, setup and configuration:
 - NDR Non-Delivery report (returned or rejected e-mail with error code near top)
 - POP Post Office Protocol (method of retrieving e-mails from your ISP or server)
 - RBL Remote Black List (20-30 or more sites that take spam report and list bad IPs)
 - RFC Request for Comments basic standards or rules for Internet E-mail handling
 - SPF Sender Policy Framework (SMTP extension that uses DNS to verify sender record)
 - SMTP Simple Mail Transport Protocol (normally unverified method of sending e-mails)
 - UCE unwanted commercial e-mail (aka "spam")
- 3. Here are common error messages related to RBLs:
- 550 Blocked see http://www.spamcop.net/bl.shtml?10.5.6.7
- 550 Mail handled by an open relay visit <u>http://someURLofaRBL</u>
- 550 Administrative Prohibition see http://someURLofaRBL
- 550 Rule is believed to be an open relay
- 550 SPAM SPAM SPAM SPAM SPAM SPAM SPAM Rejected from 10.5.6.7

(This text is repeated until the sending software closes the SMTP TCP connection and/or the sending software - or Windows - crashes due to a buffer overflow condition)

- 550 Administrative prohibition exchange dynamic
- 550 sendmail dynamic ip address Domain of sender address not exists
- 550 sender IP address listed as being infected or compromised
- 550 sending mails with dynamic IP
- 550 SPAM == Business Suicide. All mail rejected coming from this address due to spamming.
- 550 sendmail dynamic ip blocked isp
- 550 Your ISP won't address spam complaints so no mail is accepted from that ISP or its customers.
- 550 dynamic mail rejected
- 550 mail rejected dynamic address
- 550 mail being rejected because of dynamic IP address
- 550 Your IP address appears to be dynamically assigned. Please smarthost your mail though your ISP
- 550 cannot accept mail from dynamic mail server
- 550 Blocked for abuse. Please contact the administrator of your ISP or sending mail service.
- 550 This message was rejected due to the current administrative policy by the destination server.
- 550 This message was rejected due to the current administrative policy of the destination server.
- 550 Access from ip address blocked
- 550 Appears to be dynamically assigned. Please smarthost your mail through your Isp mail server
- 550 The sending IP address has recently sent junk mail, a virus, or mail with falsified headers, is an open relay, is infected with a virus or worm, is dynamically assigned with insufficient credentials, or is controlled by an entity that will not address abuse issues. Send your mail through your ISPs smarthost or some other route.
- 550 Mail from this IP address blocked due to DNS black list

- 550 This computer is currently blocked from sending messages
- 550 You are spamming or your computer is compromised or infected
- 550 RBL rejection
- 550 Message not sent New domain not yet verified
- 554 Message not allowed UP Email not accepted for policy reasons. Please visit (some web page link) [number]
- 4. And here are common error messages NOT related to RBLs:
- 550 Sender verify failed
- 550 sender verify rejected exim
- 550 verify validity
- 550 administrative prohibition "mailserver verify address"
- 550 message to verify they are valid
- 550 Sender verify failed upgrade your firewall firmware or settings
- 550 Not sent no reverse lookup
- 550 The destination mail system rejected your return address
- 550 Sender must exist
- 550 You must use a working From: address in your e-mail.
- 550 Domain not found
- 550 Sender-Rejected mdaemon
- 550 Sender address rejected: Blocked
- 550 Sending address not accepted due to spam filter
- 550 No Such User Here Sender Verify Failed